

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Group Art Unit No.: NYA

GARY HALLMARK and DANIEL LEARY

Examiner: NYA

Serial No.: NYA

Filed on: January 5, 2001

For: METHOD AND APPARATUS FOR  
IMPLEMENTING PARALLEL OPERATIONS IN  
A DATABASE MANAGEMENT SYSTEM

This is a Reissue Application based on U.S. Patent No.  
5,857,180 issued January 5, 1999

**PRELIMINARY AMENDMENT**

Commissioner for Patents  
Washington, D.C. 20231

Sir:

Prior to examination of the above-referenced application, please amend the  
application as follows:

IN THE CLAIMS

Please cancel Claims 1-19.

Please add new Claims 20-91 as indicated below:

20. A method of parallelizing an operation, the method comprising the steps of:

dividing the operation into a set of work partitions;

assigning work partitions from said set of work partitions to a plurality of entities,

wherein at least one entity of said plurality of entities is assigned a plurality of

work partitions from said set of work partitions; and

**EXPRESS MAIL NO.** EL652872248 US

said plurality of entities operating in parallel on work partitions assigned to them to perform said operation.

21. The method of Claim 20 wherein:

the method further includes the step of receiving a query that requires the operation;

and

the step of dividing the operation is performed in response to processing the query.

22. The method of Claim 20 wherein the step of assigning work partitions includes:

assigning said at least one entity a first work partition from said set of work

partitions; and

after said at least one entity has completed operating on said first work partition,

assigning said at least one entity a second work partition from said set of work

partitions.

23. The method of Claim 20 wherein said plurality of entities are a plurality of processes.

24. The method of Claim 23 wherein said plurality of processes reside within a single database system.

25. The method of Claim 20 wherein the step of dividing an operation into a set of work partitions includes generating a plurality of query fragments for at least a portion of said operation.

26. The method of Claim 25 wherein:

the operation corresponds to at least a portion of a query; and

the plurality of query fragments are generated based on said query.

27. The method of Claim 20 the step of assigning work partitions is performed by

assigning the work partitions in a sequence based at least in part on sizes associated with the  
work partitions.

28. The method of Claim 27 wherein the step of assigning the work partitions in a

sequence is performed by assigning relatively larger work partitions before assigning  
relatively smaller work partitions.

29. The method of Claim 22 wherein:

the operation is specified in a query that corresponds to a hierarchy of operations; and

the step of assigning said at least one entity a second work partition includes

determining whether there are any unassigned work partitions from a first

level in the hierarchy to which said first work partition belonged; and

if there are no unassigned work partitions from the first level in the hierarchy,

then selecting said second work partition from a level in said hierarchy

that is two levels below said first level in said hierarchy.

30. The method of Claim 20 wherein:

the method includes the step of generating a serial execution plan for operations in a

database management system (DBMS) running on a computer system;

the method includes the step of generating a parallelized execution plan for said serial

execution plan, said parallelized execution plan including first and second

operations;

the step of dividing an operation is performed by dividing said second operation;

the plurality of entities includes one or more slave processes operating on a plurality

of data partitions, the quantity of said data partitions being greater than the

quantity of said slave processes;

executing said parallelized execution plan when a plurality of parallel resources of

said computer system are available; and

executing said serial execution plan when said plurality of resources are not available.

31. The method of claim 30 wherein said step of generating a parallelized execution plan includes the steps of:

identifying one or more segments of said serial execution plan that can be

parallelized; and

identifying partitioning requirements of said one or more segments

32. The method of claim 30 wherein said step of generating a parallelized execution plan is based on a specification of parallelism in a statement specifying one of said operations.

33. The method of Claim 20 further comprising the steps of:

generating an execution plan for said operation;

examining said execution plan from bottom up;

identifying a parallelized portion of said execution plan, said parallelized portion can

be processed in parallel, said parallelized portion including first and second

operations, said first and second operations being executable in parallel;

wherein the step of dividing the operation is performed by dividing said second

operation;

wherein the plurality of entities includes one or more slave processes operating on a

plurality of data partitions, the quantity of said data partitions being greater

than the quantity of said slave processes;

identifying some serial portion of said execution plan, said serial portion can be

processed in serial;

allocating a central scheduler between said parallelized portion and said serial

portion.

34. The method of Claim 33 further including the steps of:

identifying a first data flow requirement for a first portion of said execution plan said

first data flow requirement corresponding to a partitioning of a data flow

required by said first portion;

identifying a second data flow requirement for a second portion of said execution

plan said second data flow requirement corresponding by said second portion;

and

allocating a data flow director between said first portion and said second portion  
when said first data flow requirement is not compatible with said second data  
flow requirement said data flow director repartitioning a data flow of said first  
portion to be compatible with said second data flow requirement

35. The method of Claim 20 further comprising the steps of:

generating an execution plan to execute database management system (DBMS)

operations in parallel, said execution plan including first and second  
operations;

wherein the step of dividing said operation is performed by dividing said second  
operation;

initiating an operation coordinator in a computer system to coordinate execution of  
said execution plan;

initiating, by said operation coordinator, a first set of slaves operating on a plurality of  
data partitions to produce data, the quantity of said data partitions being  
greater than the quantity of said first set of slave processes;

initiating, as said plurality of entities, by said operation coordinator, a second set of  
slaves to consume data; and

directing said second set of slaves to produce data and said first set of slaves to  
consume data when said first set of slaves finishes producing data.

36. The method of claim 35 wherein said execution plan is comprised of operator nodes  
and said operator nodes are linked together to form execution sets

37. The method of Claim 20 further comprising the steps of:

generating an execution plan to execute said operations in parallel, said execution plan including first and second operations;

wherein the step of dividing said operation includes dividing said first operation;

initiating a data flow scheduler in said computer system to coordinate data flow;

initiating, as said plurality of entities, by said data flow scheduler, producer slaves

operating on a plurality of data partitions to produce a first data production;

initiating, by said data flow scheduler, consumer slaves to consume said first data production;

transmitting a ready message to said data flow scheduler when said producer slaves

become ready to produce data;

transmitting a completion message to said data flow scheduler when said first data

production is completed;

generating, by said data flow scheduler, in response to said completion message, an

identification of a plurality of said consumer slaves that did not receive data in

said first data production, said generating step using information derived from

said ready message;

examining, by said producer slaves, said identification during a subsequent data

production; and

reducing said subsequent data production such that said subsequent data production

does not produce data for said plurality of said consumer slaves

38. A method for processing a query, the method comprising the steps of:  
receiving a statement that specifies at least (a) an operation and (b) a degree of  
parallelism to use in performing the operation;  
dividing the operation into a set of work partitions;  
performing a determination of how many entities to use to perform said operation  
based, at least in part, on the degree of parallelism specified in said statement;  
assigning work partitions from said set of work partitions to a plurality of entities  
based on said determination; and  
said plurality of entities operating in parallel on work partitions assigned to them to  
perform said operation.

39. The method of Claim 38 wherein:  
the query requires a plurality of operations; and  
the statement specifies said degree of parallelism for a subset of the plurality of  
operations required by the query.

40. The method of Claim 39 wherein the degree of parallelism specified by the query  
indicates that no amount of parallelism is to be used during execution of a particular portion  
of the query.

41. The method of Claim 38 wherein the degree of parallelism specified by the query  
indicates a maximum amount of parallelism to use during execution of said operation.



42. A method of processing a query, the method comprising the steps of:  
dividing an operation required by said query into a set of work partitions by  
generating a set of query fragments;  
incorporating hints into at least some of said query fragments, wherein the hint  
associated with a given query fragment indicates how to perform the work  
partition associated with said given query fragment;  
assigning query fragments from said set of query fragments to a plurality of entities;  
and  
said plurality of entities operating in parallel on query fragments assigned to them to  
perform said operation, wherein entities working on a query fragment  
associated with a hint perform the work partition associated with said query  
fragment in a manner dictated by said hint.

43. The method of Claim 42 wherein the step of incorporating hints includes  
incorporating hints that dictate the operation of a table scan.

44. The method of Claim 43 wherein the step of incorporating hints that dictate the  
operation of a table scan includes incorporating hints that rowed partitioning is to be used  
during the table scan.

45. The method of Claim 42 wherein the step of incorporating hints includes  
incorporating hints that specify performance of a full table scan.

46. The method of Claim 42 wherein the step of incorporating hints includes incorporating hints that specify using a particular type of join.

47. The method of Claim 46 wherein the step of incorporating hints that specify using a particular type of join includes incorporating hints that specify using a sort/merge join.

48. The method of Claim 46 wherein the step of incorporating hints that specify using a particular type of join includes incorporating hints that specify using a nested loop join.

49. A method of processing a query, the method comprising the steps of:  
determining a hierarchy of operations associated with a query;  
dividing a first operation required by said query into a first set of work partitions;  
dividing a second operation required by said query into a second set of work  
partitions, wherein said second operation immediately follows said first  
operation in said hierarchy;  
dividing a third operation required by said query into a third set of work partitions,  
wherein said third operation immediately follows said second operation in  
said hierarchy;  
assigning work partitions from said first set of work partitions to a first plurality of  
entities;  
said first plurality of entities operating in parallel on work partitions assigned to them  
from said first set of work partitions to perform said first operation;

assigning work partitions from said second set of work partitions to a second plurality of entities, wherein said second plurality of entities are different entities than said first plurality of entities; and

said second plurality of entities operating in parallel on work partitions assigned to them from said second set of work partitions to perform said second operation;

assigning work partitions from said third set of work partitions to said first plurality of entities; and

said first plurality of entities operating in parallel on work partitions assigned to them from said third set of work partitions to perform said third operation.

50. The method of Claim 49 further comprising performing the following steps when a given entity in said first set of entities finishes performing a work partition from said first set of work partitions:

determining whether there are any unassigned work partitions from said first set of work partitions; and

if there are no unassigned work partitions from said first set of work partitions, then assigning the given entity a work partition selected from said third set of work partitions; and

if there are unassigned work partitions from said first set of work partitions, then assigning the given entity a work partition selected from said first set of work partitions.

51. The method of Claim 49 wherein the hierarchy includes odd levels and even levels, and the method further comprises the steps of assigning work partitions from odd levels to said first plurality of entities and work partitions from even levels to said second plurality of entities.

52. The method of Claim 49 wherein performing work partitions in said first set of work partitions causes said first set of entities produce output consumed by said second plurality of entities, and performing work partitions in said third set of work partitions causes said first set of entities to consume output produced by said second plurality of entities.

53. A method of processing a query, the method comprising the steps of:  
determining that, to execute said query, output from a plurality of producer operations  
is to be supplied to a consumer operation;  
wherein a first set of entities is responsible for executing a first producer operation of  
said plurality of producer operations;  
wherein a second set of entities is responsible for executing a second producer  
operation of said plurality of producer operations;  
wherein a third set of entities is responsible for executing said consumer operation;  
during execution of said query, performing the steps of  
determining whether any entity in said first set of entities produced output for  
a particular entity in said third set of entities; and  
if no entity in said first set of entities produced output for said particular entity  
in said third set of entities, then communicating to at least one entity in

said second set of entities that is responsible for supplying output to  
said particular entity that said at least one entity need not produce  
output for said particular entity.

54. The method of Claim 53 wherein the step of determining whether any entity in said  
first set of entities produced output for a particular entity in said third set of entities is  
performed by

the particular entity monitoring whether it received any output from any entity in said  
first set of entities;

the particular entity generating data that indicates whether it received any output from  
any entity in said first set of entities; and

determining whether any entity in said first set of entities produced output for said  
particular entity based on said data.

55. The method of Claim 53 further comprising the steps of:

maintaining a bit vector, wherein each entity in said third set of entities corresponds  
to a bit in the bit vector;

when all entities in said first set of entities that produce output for said particular

entity have completed their portion of said first producer operation, setting the

bit, in the bit vector, that corresponds to said particular entity if said particular

entity received no output from said first producer operation; and

wherein the step of determining whether any entity in said first set of entities

produced output for said particular entity includes the step of inspecting said

bit vector to determine whether any entity in said first set of entities produced output for said particular entity.

56. A computer-readable medium carrying instructions for parallelizing an operation, the instructions including instructions for performing the steps of:

dividing the operation into a set of work partitions;

assigning work partitions from said set of work partitions to a plurality of entities,

wherein at least one entity of said plurality of entities is assigned a plurality of

work partitions from said set of work partitions; and

said plurality of entities operating in parallel on work partitions assigned to them to perform said operation.

57. The computer-readable medium of Claim 56 wherein:

the instructions further include instructions for performing the step of receiving a

query that requires the operation; and

the step of dividing the operation is performed in response to processing the query.

58. The computer-readable medium of Claim 56 wherein the step of assigning work partitions includes:

assigning said at least one entity a first work partition from said set of work

partitions; and

after said at least one entity has completed operating on said first work partition,  
assigning said at least one entity a second work partition from said set of work  
partitions.

59. The computer-readable medium of Claim 56 wherein said plurality of entities are a  
plurality of processes.

60. The computer-readable medium of Claim 59 wherein said plurality of processes  
reside within a single database system.

61. The computer-readable medium of Claim 56 wherein the step of dividing an  
operation into a set of work partitions includes generating a plurality of query fragments for  
at least a portion of said operation.

62. The computer-readable medium of Claim 61 wherein:  
the operation corresponds to at least a portion of a query; and  
the plurality of query fragments are generated based on said query.

63. The computer-readable medium of Claim 56 wherein the step of assigning work  
partitions is performed by assigning the work partitions in a sequence based at least in part on  
sizes associated with the work partitions.

64. The computer-readable medium of Claim 63 wherein the step of assigning the work partitions in a sequence is performed by assigning relatively larger work partitions before assigning relatively smaller work partitions.

65. The computer-readable medium of Claim 58 wherein:

the operation is specified in a query that corresponds to a hierarchy of operations; and

the step of assigning said at least one entity a second work partition includes

determining whether there are any unassigned work partitions from a first

level in the hierarchy to which said first work partition belonged; and

if there are no unassigned work partitions from the first level in the hierarchy,

then selecting said second work partition from a level in said hierarchy

that is two levels below said first level in said hierarchy.

66. The computer-readable medium of Claim 56 wherein:

the instructions include instructions for performing the step of generating a serial

execution plan for operations in a database management system (DBMS)

running on a computer system;

the instructions include instructions for performing the step of generating a

parallelized execution plan for said serial execution plan, said parallelized

execution plan including first and second operations;

the step of dividing an operation is performed by dividing said second operation;



the plurality of entities includes one or more slave processes operating on a plurality of data partitions, the quantity of said data partitions being greater than the quantity of said slave processes;

the instructions include instructions for performing the step of executing said parallelized execution plan when a plurality of parallel resources of said computer system are available; and

the instructions include instructions for performing the step of executing said serial execution plan when said plurality of resources are not available.

67. The computer-readable medium of claim 66 wherein said step of generating a parallelized execution plan includes the steps of:

identifying one or more segments of said serial execution plan that can be parallelized; and

identifying partitioning requirements of said one or more segments

68. The computer-readable medium of claim 66 wherein said step of generating a parallelized execution plan is based on a specification of parallelism in a statement specifying one of said operations

69. The computer-readable medium of Claim 56 further comprising instructions for performing the steps of:

generating an execution plan for said operation;

examining said execution plan from bottom up;

identifying a parallelized portion of said execution plan, said parallelized portion can be processed in parallel, said parallelized portion including first and second operations, said first and second operations being executable in parallel; wherein the step of dividing the operation is performed by dividing said second operation;

wherein the plurality of entities includes one or more slave processes operating on a plurality of data partitions, the quantity of said data partitions being greater than the quantity of said slave processes;

identifying some serial portion of said execution plan, said serial portion can be processed in serial;

allocating a central scheduler between said parallelized portion and said serial portion

70. The computer-readable medium of Claim 69 further including instructions for performing the steps of:

identifying a first data flow requirement for a first portion of said execution plan said first data flow requirement corresponding to a partitioning of a data flow required by said first portion;

identifying a second data flow requirement for a second portion of said execution plan said second data flow requirement corresponding by said second portion;  
and

allocating a data flow director between said first portion and said second portion when said first data flow requirement is not compatible with said second data

flow requirement said data flow director repartitioning a data flow of said first portion to be compatible with said second data flow requirement

71. The computer-readable medium of Claim 56 further comprising instructions for performing the steps of:

generating an execution plan to execute database management system (DBMS) operations in parallel, said execution plan including first and second operations;

wherein the step of dividing said operation is performed by dividing said second operation;

initiating an operation coordinator in a computer system to coordinate execution of said execution plan;

initiating, by said operation coordinator, a first set of slaves operating on a plurality of data partitions to produce data, the quantity of said data partitions being greater than the quantity of said first set of slave processes;

initiating, as said plurality of entities, by said operation coordinator, a second set of slaves to consume data; and

directing said second set of slaves to produce data and said first set of slaves to consume data when said first set of slaves finishes producing data.

72. The computer-readable medium of claim 71 wherein said execution plan is comprised of operator nodes and said operator nodes are linked together to form execution sets

73. The computer-readable medium of Claim 56 further comprising instructions for performing the steps of:

generating an execution plan to execute said operations in parallel, said execution plan including first and second operations;

wherein the step of dividing said operation includes dividing said first operation;

initiating a data flow scheduler in said computer system to coordinate data flow;

initiating, as said plurality of entities, by said data flow scheduler, producer slaves

operating on a plurality of data partitions to produce a first data production;

initiating, by said data flow scheduler, consumer slaves to consume said first data production;

transmitting a ready message to said data flow scheduler when said producer slaves become ready to produce data;

transmitting a completion message to said data flow scheduler when said first data production is completed;

generating, by said data flow scheduler, in response to said completion message, an identification of a plurality of said consumer slaves that did not receive data in said first data production, said generating step using information derived from said ready message;

examining, by said producer slaves, said identification during a subsequent data production; and

reducing said subsequent data production such that said subsequent data production does not produce data for said plurality of said consumer slaves

74. A computer-readable medium storing instructions for processing a query, the instructions including instructions for performing the steps of:

receiving a statement that specifies at least (a) an operation and (b) a degree of parallelism to use in performing the operation;

dividing the operation into a set of work partitions;

performing a determination of how many entities to use to perform said operation based, at least in part, on the degree of parallelism specified in said statement;

assigning work partitions from said set of work partitions to a plurality of entities based on said determination; and

said plurality of entities operating in parallel on work partitions assigned to them to perform said operation.

75. The computer-readable medium of Claim 74 wherein:

the query requires a plurality of operations; and

the statement specifies said degree of parallelism for a subset of the plurality of operations required by the query.

76. The computer-readable medium of Claim 75 wherein the degree of parallelism specified by the query indicates that no amount of parallelism is to be used during execution of a particular portion of the query.

77. The computer-readable medium of Claim 74 wherein the degree of parallelism specified by the query indicates a maximum amount of parallelism to use during execution of said operation.

78. A computer-readable medium carrying instructions for processing a query, the instructions including instructions for performing the steps of:

dividing an operation required by said query into a set of work partitions by

generating a set of query fragments;

incorporating hints into at least some of said query fragments, wherein the hint

associated with a given query fragment indicates how to perform the work

partition associated with said given query fragment;

assigning query fragments from said set of query fragments to a plurality of entities;

and

said plurality of entities operating in parallel on query fragments assigned to them to

perform said operation, wherein entities working on a query fragment

associated with a hint perform the work partition associated with said query

fragment in a manner dictated by said hint.

79. The computer-readable medium of Claim 78 wherein the step of incorporating hints includes incorporating hints that dictate the operation of a table scan.

80. The computer-readable medium of Claim 79 wherein the step of incorporating hints that dictate the operation of a table scan includes incorporating hints that rowed partitioning is to be used during the table scan.

81. The computer-readable medium of Claim 78 wherein the step of incorporating hints includes incorporating hints that specify performance of a full table scan.

82. The computer-readable medium of Claim 78 wherein the step of incorporating hints includes incorporating hints that specify using a particular type of join.

83. The computer-readable medium of Claim 82 wherein the step of incorporating hints that specify using a particular type of join includes incorporating hints that specify using a sort/merge join.

84. The computer-readable medium of Claim 82 wherein the step of incorporating hints that specify using a particular type of join includes incorporating hints that specify using a nested loop join.

85. A computer-readable medium carrying instructions for processing a query, the instructions including instructions for performing the steps of:

determining a hierarchy of operations associated with a query;

dividing a first operation required by said query into a first set of work partitions;

dividing a second operation required by said query into a second set of work partitions, wherein said second operation immediately follows said first operation in said hierarchy;

dividing a third operation required by said query into a third set of work partitions, wherein said third operation immediately follows said second operation in said hierarchy;

assigning work partitions from said first set of work partitions to a first plurality of entities;

said first plurality of entities operating in parallel on work partitions assigned to them from said first set of work partitions to perform said first operation;

assigning work partitions from said second set of work partitions to a second plurality of entities, wherein said second plurality of entities are different entities than said first plurality of entities; and

said second plurality of entities operating in parallel on work partitions assigned to them from said second set of work partitions to perform said second operation;

assigning work partitions from said third set of work partitions to said first plurality of entities; and

said first plurality of entities operating in parallel on work partitions assigned to them from said third set of work partitions to perform said third operation.



86. The computer-readable medium of Claim 85 further comprising instructions for performing the following steps when a given entity in said first set of entities finishes performing a work partition from said first set of work partitions:

determining whether there are any unassigned work partitions from said first set of work partitions; and

if there are no unassigned work partitions from said first set of work partitions, then

assigning the given entity a work partition selected from said third set of work partitions; and

if there are unassigned work partitions from said first set of work partitions, then

assigning the given entity a work partition selected from said first set of work partitions.

87. The computer-readable medium of Claim 85 wherein the hierarchy includes odd levels and even levels, and the instructions further include instructions for performing the steps of assigning work partitions from odd levels to said first plurality of entities and work partitions from even levels to said second plurality of entities.

88. The computer-readable medium of Claim 85 wherein performing work partitions in said first set of work partitions causes said first set of entities produce output consumed by said second plurality of entities, and performing work partitions in said third set of work partitions causes said first set of entities to consume output produced by said second plurality of entities.

89. A computer-readable medium carrying instructions for processing a query, the instructions including instructions for performing the steps of:

determining that, to execute said query, output from a plurality of producer operations

is to be supplied to a consumer operation;

wherein a first set of entities is responsible for executing a first producer operation of

said plurality of producer operations;

wherein a second set of entities is responsible for executing a second producer

operation of said plurality of producer operations;

wherein a third set of entities is responsible for executing said consumer operation;

during execution of said query, performing the steps of

determining whether any entity in said first set of entities produced output for

a particular entity in said third set of entities; and

if no entity in said first set of entities produced output for said particular entity

in said third set of entities, then communicating to at least one entity in

said second set of entities that is responsible for supplying output to

said particular entity that said at least one entity need not produce

output for said particular entity.

90. The computer-readable medium of Claim 89 wherein the step of determining whether

any entity in said first set of entities produced output for a particular entity in said third set of

entities is performed by

the particular entity monitoring whether it received any output from any entity in said

first set of entities;

the particular entity generating data that indicates whether it received any output from  
any entity in said first set of entities; and  
determining whether any entity in said first set of entities produced output for said  
particular entity based on said data.

91. The computer-readable medium of Claim 89 further including instructions for  
performing the steps of:

maintaining a bit vector, wherein each entity in said third set of entities corresponds  
to a bit in the bit vector;

when all entities in said first set of entities that produce output for said particular  
entity have completed their portion of said first producer operation, setting the  
bit, in the bit vector, that corresponds to said particular entity if said particular  
entity received no output from said first producer operation; and

wherein the step of determining whether any entity in said first set of entities  
produced output for said particular entity includes the step of inspecting said  
bit vector to determine whether any entity in said first set of entities produced  
output for said particular entity.

## REMARKS

### STATUS OF ALL CLAIMS (CFR 1.121(b)(2)(ii))

By this amendment, Claims 1-19 are cancelled and new Claims 20-91 are added.

Hence, Claims 20-91 are pending in the application.

### EXPLANATION OF SUPPORT (CFR 1.121(b)(2)(iii))

Support for Claims 20 and 56 is found at col. 8, lines 7 to 35.

Support for Claims 21 and 57 is found at col. 8, line 55 to col. 9 line 13.

Support for Claims 22, 23, 24, 58, 59 and 60 is found at col. 8, lines 7 to 35.

Support for Claims 25, 26, 61 and 62 is found at col. 11, lines 37 to 57.

Support for Claims 27, 28, 63 and 64 is found at col. 8, lines 21 to 35.

Support for Claims 29, 65 is found at col. 14, lines 3 to 26.

Support for Claims 30, 66 is found in the issued Claim 1 (and the corresponding section of the specification).

Support for Claims 31, 67 is found in the issued Claim 2 (and the corresponding section of the specification).

Support for Claims 32, 68 is found in the issued Claim 3 (and the corresponding section of the specification).

Support for Claims 33, 69 is found in the issued Claim 4 (and the corresponding section of the specification).

Support for Claims 34, 70 is found in the issued Claim 5 (and the corresponding section of the specification).

Support for Claims 35, 71 is found in the issued Claim 6 (and the corresponding section of the specification).

Support for Claims 36, 72 is found in the issued Claim 7 (and the corresponding section of the specification).

Support for Claims 37, 73 is found in the issued Claim 8 (and the corresponding section of the specification).

Support for Claims 38, 39, 40, 41, 74, 75, 76, and 77 is found at col. 10, lines 15 to 24.

Support for Claims 42, 43, 44, 45, 56, 47, 48, 78, 79, 80, 81, 82, 83 and 84 is found at col. 11, line 57 to col. 12, line 5.


Support for Claims 49, 50, 51, 52, 85, 86, 87 and 88 is found at col. 14, lines 3 to 26.

Support for Claims 53, 54, 55, 89, 90, and 91 is found at col. 18, line 33 to col. 19, line 30.

It is respectfully submitted that all of the newly added claims are supported by the disclosure of the issued patent for which reissue is sought. The specific section of the issued patent that supports each new claim is specified above.

Respectfully submitted,

HICKMAN PALERMO TRUONG & BECKER LLP



Dated: January 5, 2001

Brian D. Hickman  
Registration No. 35,894

1600 Willow Street  
San Jose, California 95125-5106  
Tel: (408) 414-1080 ext. 201  
Fax: (408) 414-1076